

Message

From: [Nonresponsive based on revised scope]@WestonSolutions.com]
Sent: 4/22/2020 8:40:45 PM
To: Curry, John [Curry.John@epa.gov]
CC: Caporale, Cynthia [Caporale.Cynthia@epa.gov]; Graybill, Eric [graybill.eric@epa.gov]; Costas, Robin [Costas.Robin@epa.gov]; Houston, Kathleen [houston.kathleen@epa.gov]; Wagner, Christine [Wagner.Christine@epa.gov]; [Nonresponsive based on revised scope]@westonsolutions.com]; Poff, Kevin [Poff.Kevin@epa.gov]
Subject: RE: Shiloh Church Rd Removal Action WO#2003012 R35774
Attachments: R35774_C0B76.pdf

Good Afternoon John,

The Final Data for R35774 has the incorrect sample names for 3 of 4 samples. The name abbreviation is SCR for Shiloh Church Road, as seen in the Sample Identifier on the COC attached. The data report has SRC for samples C0B77, C0B78, and C0B79. Can we please request a memo-to-file for this to be corrected?

Also, would it be possible to include the sample collection dates on the EDD?

Thank you,

[Nonresponsive based on revised scope]

From: Curry, John [mailto:Curry.John@epa.gov]
Sent: Thursday, April 16, 2020 4:35 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>; [Nonresponsive based on revised scope]@WestonSolutions.com>; [Nonresponsive based on revised scope]@WestonSolutions.com>
Cc: Caporale, Cynthia <Caporale.Cynthia@epa.gov>; Costas, Robin <Costas.Robin@epa.gov>; Houston, Kathleen <houston.kathleen@epa.gov>
Subject: Shiloh Church Rd Removal Action WO#2003012 R35774

**** External Email ****

This e-mail serves as notification that Region III Laboratory Final Results (Final Report) for **Work Order 2003012, Shiloh Church Rd Removal Action Site** have been released. Please see the attached PDF file and EDD (text) file.

Note: Refer to the signed version of the Region III Laboratory Final Results report for sample descriptions, qualifier codes explanations, and quality control information. Refer to the signed report if any differences in data are found in the electronic (.txt) file. Some results in EDD file may differ slightly from PDF due to program calculations.

Please contact me at 410/305-2608 or Robin Costas at 410/305-2659, if you experience delivery problems with your report or to provide feedback. A copy of this e-mail will be retained in the case file.

John D. Curry
Acting Laboratory Section Chief
EPA Region 3
Laboratory Service & Applied Science Division
Laboratory Section (3LS21)
EPA Environmental Science Center
710 Mapes Road

Ft. Meade, Md 20755
410-305-2608

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.